

OFFICIAL NOTICE



Date: 08 March 2010

TO: Plan Holders
LA PATA PARK – PHASE 1B
City Project No. 18142-A

FROM: Tim Shaw, Landscape Architect
shawt@san-clemente.org

SUBJECT: Addendum No. 4 – Changes to Plans and Specifications
City Project No. 18142-A

Transmitted herewith is Addendum No. 4

The attached changes for the above project are provided for bidder consideration.

The Contractor shall sign this page as acknowledgment of receipt of Addendum No. 4 and attach it to the bid proposal. Bids without this form completed and included will be deemed non-responsive

We acknowledge receipt of Addendum No. 4 for the above-mentioned project and hereby accept its terms and conditions as part of our bid.

Signature

Date

Contractor's Name

Contents

Modifications to Plans and Specifications (3 pages)

Bid Schedule A & B (*Addendum 4*) (9 pages)

TOTAL: 12 pages (including this page and the last page)

ADDENDUM No. 4

TO THE SPECIFICATIONS, CONTRACT DOCUMENTS,
AND PLANS FOR THE CONSTRUCTION OF:

LA PATA PARK – PHASE 1B City Project No. 18142-A

The Bidder shall execute the certification at the end of this Addendum and shall attach the certification to the documents submitted with the bid proposal. The following additions, modifications, corrections, deletions, and clarifications are hereby made to the Contract Documents, Plans and Specifications for the subject project.

The deadline for submission of sealed bids has been changed to
Thursday, 11 March 2010, 2:00 P.M.

Bids will not be accepted if the Bidding Contractor did not attend the La Pata Park – Phase 1B Pre-Bid Meeting.

END OF ADDENDUM No. 4

DATED: 08 March 2010



By: Mr. Tim Shaw
Landscape Architect
City of San Clemente

BIDDER'S CERTIFICATION

I acknowledge receipt of the foregoing Addendum No. 4 and accept all conditions contained herein.

DATED: _____

BIDDER: _____
(Company Name)

BY: _____
(Signature)

The following Bid Schedule of estimated quantities is included for convenience of bidding and a basis for comparison of bids only, and the City does not, expressly, or by implication, agree that the actual amount of work will correspond therewith, but reserves the right to increase or decrease the amount of any class or portion of the Work, or to delete portions of the Work, as may be deemed necessary or advisable by the City.

Bid Schedule B includes items that may or may not individually or in total be included in the project and the City has the option to include or exclude from the construction of the project. Any general items including, but not limited to, mobilization, surveying and staking, clearing and grubbing, erosion control, unclassified excavation, and As-built plans that may be needed to construct the items listed in Schedule B shall be included in the amount bid for that item and no additional compensation will be allowed. The lowest bid will be determined by the lowest total of the sum of the two Bid Schedules A and B.

LA PATA PARK - PHASE 1B
Project No. 18142-A
SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|----------------------------------|---|----------|------|-----------|-------|
| GENERAL WORK SECTION | | | | | |
| 1 | Mobilization (including Demobilization) (5% max. Per Section 7-10.4). | 1 | LS | \$ | \$ |
| 2 | Surveying, Construction Staking and Leveling | 1 | LS | \$ | \$ |
| 3 | Traffic /Pedestrian Control | 1 | LS | \$ | \$ |
| 4 | Traffic Signing and Striping | 1 | LS | \$ | \$ |
| 5 | Erosion Control per Storm Water Pollution Prevention Plan and NPDES General Construction Permit, including implementation, maintenance, management, and compliance. | 1 | LS | \$ | \$ |
| 6 | Waste Management Plan | 1 | LS | \$ | \$ |
| PCC/CONCRETE WORK SECTION | | | | | |
| 7 | Construct PCC Curb per City of San Clemente Std. Plan ST-6, Type A1-8, CF=8" | 2,245 | LF | \$ | \$ |
| 8 | Construct Rolled Curb & Gutter per Detail 17 on Sheet AVH-10, Page 142. | 24 | LF | \$ | \$ |
| 9 | Construct Rolled Curb Transition per Detail 18 on Sheet AVH-10, Page 142. | 63 | LF | \$ | \$ |
| 10 | Construct PCC Curb & Gutter per APWA Std. Plan 120-1, Type A3, CF=6", W=12" | 410 | LF | \$ | \$ |
| 11 | Construct A1-6 Curb per City of San Clemente STD. ST-6 | 50 | LF | \$ | \$ |
| 12 | Construct 5" Thick PCC sidewalk with (2) #4 Longitudinal Rebar Reinforcement at Mid-Height Adjacent to Buffer Strip. Width Per Plan. See Landscape Detail 11, Sheet CD-1. | 29,375 | SF | \$ | \$ |
| 13 | Construct 5" Thick PCC sidewalk with (2) #4 Longitudinal Rebar Reinforcement at Mid-Height over 4" CMB Relative Compaction over Pre-Soaked Subgrade to 140% Opt. M/C to a Depth of 12" Adjacent to Curb. Width Per Plan. See Landscape Detail 11, Sheet CD-1. | 6,380 | SF | \$ | \$ |
| 14 | Construct 5" Thick PCC sidewalk with #3 Longitudinal Rebar Reinforcement at 24" On-Center, Both Ways over 4" Thick Aggregate Base. See Landscape Plans Detail 1, Sheet CD-1. | 23,175 | SF | \$ | \$ |
| 15 (s) | Construct Brick Paving 'Ole Hanson' Style Replicated Brick Paver. See Landscape Plans Detail 3, Sheet CD-1. Single Source: Steve Caulking (949-498-7636) | 6,400 | SF | \$ | \$ |
| 16 | Install 4" Thick Decomposed Granite Parkway per Detail 8 on Sheet CD-1. Apply Spray-On Binder to Finish Surface per Specifications. | 31,970 | SF | \$ | \$ |
| 17 | Install 4" Thick Polypave Mix-In Application with Native per Manufacturers Specifications. | 19,400 | SF | \$ | \$ |
| 18 | Vehicular Fire Access Minimum Concrete Section Shall Include 560-C-3250 Type V PCC at 8" Thickness with #4 Bars at 12" O.C. Both Ways at Mid-Height over Crushed Aggregate Base at 6" Thickness | 1,245 | SF | | |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|-----------------------------------|--|----------|------|-----------|-------|
| 19 | Construct Type 1 Access Ramp per SCSD ST-1 with Truncated Domes by WAUSAU Tile Model #FDX2008 – Gray w/ Wash Finish (or Approved Equal) per OCPW STD. Plan 1115, SHT 10 of 10 | 8 | EA | \$ | \$ |
| 20 | Construct Access Ramp per Detail 87 on Sheet 4 with Truncated Domes by WAUSAU Tile Model #FDX2008 – Gray w/ Wash Finish (or Approved Equal) per OCPW STD. Plan 1115, SHT 10 of 10. | 4 | EA | \$ | \$ |
| 21 | Construct Access Ramp per Detail 92 on Sheet 4 with Truncated Domes by WAUSAU Tile Model #FDX2008 – Gray w/ Wash Finish (or Approved Equal) per OCPW STD. Plan 1115, SHT 10 of 10. | 3 | EA | \$ | \$ |
| 22 | Construct Gray Truncated Domes by WAUSAU Tile Model #FDX2008 – Gray w/ Wash Finish (or Approved Equal) per OCPW STD. Plan 1115, SHT 10 of 10. | 2 | EA | \$ | \$ |
| AC PAVING WORK SECTION | | | | | |
| 23 | Construct 6" Asphalt Concrete (AC) Base Coarse, Type B-AR4000 | 540 | TON | \$ | \$ |
| 24 | Construct Compacted Crushed Aggregate Base Material (CAB) | 1,140 | CY | \$ | \$ |
| 25 | Install GlasPave25 Paving Mat Under Sawcut, Grind & Overlay Area | 830 | SY | \$ | \$ |
| 26 | Construct 1" Asphalt Concrete Surface Coarse in Park | 1,925 | TON | \$ | \$ |
| 27 | Construct 2" Asphaltic Rubber Hot Mix (ARHM) Surface Coarse, Type C3-AR4000 | 180 | TON | \$ | \$ |
| 28 | Grind 2" of Existing Asphalt Concrete Pavement and Overlay with 2" of ARHM | 2,890 | SF | \$ | \$ |
| WATER SYSTEMS WORK SECTION | | | | | |
| 29 | Relocate Irrigation Valve and Valve Box per City of San Clemente Std. W-4 | 1 | EA | \$ | \$ |
| 30 | Furnish and Install 1/2" Copper Pipe (ASTM B88 Type L) Encased in Polyethylene Wrap | 380 | LF | \$ | \$ |
| 31 | Furnish and Install 2" Copper Pipe (ASTM B88 Type L) Encased in Polyethylene Wrap. | 285 | LF | \$ | \$ |
| 32 | Furnish and Install 2" Water Meter per City of San Clemente STD W-2. | 2 | EA | \$ | \$ |
| 33 | Furnish and Install 2" Backflow Preventer Assembly Device (FEBCO 825YA or Equal). | 2 | EA | \$ | \$ |
| SEWER WORK SECTION | | | | | |
| 34 | Furnish and Install 4" PVC Sewer (SDR 35) Lateral. | 245 | LF | \$ | \$ |
| 35 | Furnish and Install 6" PVC Sewer (SDR 35) Lateral. | 275 | LF | \$ | \$ |
| 36 | Furnish and Install Sewer Cleanout per City of San Clemente STD. S-9. | 7 | EA | \$ | \$ |
| 37 | Remove End Cap, Connect to Existing Sewer Lateral | 2 | EA | \$ | \$ |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------------|---|----------|------|-----------|-------|
| STORM DRAIN WORK SECTION | | | | | |
| 38 | Adjust Existing Cleanout to Finish Grade | 1 | EA | \$ | \$ |
| 39 | Install Pipe Reducer per Detail 65 on Sheet C-5. | 11 | EA | \$ | \$ |
| 40 | Construct Storm Drain Manhole Per APWA STD Plan 321-1. | 3 | EA | \$ | \$ |
| 41 | Construct Grate Inlet within Elliptical Brow Ditch per Detail 61 on Sheet C-9. | 13 | EA | \$ | \$ |
| 42 | Construct 18" CSP Flared Inlet per APWA STD Plan 351-1, Case 2 | 1 | EA | \$ | \$ |
| 43 | Construct 6" Encasement With 560-C-3250 Type V PCC on Top and Sides of Pipe per Concrete Encasement Detail on Sheet 21. | 30 | LF | \$ | \$ |
| 44 | Furnish and Install 12"x12" Square Area Drain Per Detail 41 on Sheet C-4. | 27 | EA | \$ | \$ |
| 45 | Furnish and Install 12" Square Atrium Area Drain or Approved Equal per Detail 42 on Sheet C-4. | 8 | EA | \$ | \$ |
| 46 | Furnish and Install 24"x24" Precast Grate Inlet or Approved Equal per Detail 54 on Sheet C-4 . | 12 | EA | \$ | \$ |
| 47 | Furnish and Install 18" x 18" Square Area Drain per Detail 55 on Sheet C-4. | 25 | EA | \$ | \$ |
| 48 | Furnish and Install 30"x30" Precast Grate Inlet or Approved Equal per Detail 66 on Sheet C-4 . | 1 | EA | \$ | \$ |
| 49 | Furnish and Install 18" x 18" Precast Grate Inlet or Approved Equal Per Detail 67 on Sheet C-4. | 5 | EA | \$ | \$ |
| 50 | Furnish and Install 12" Square Area Drain per Detail 81 on Sheet C-4. | 11 | EA | \$ | \$ |
| 51 | Furnish and Construct Grating Catch Basin Per APWA Std Plan 305-2 | 4 | EA | \$ | \$ |
| 52 | Furnish and Install 4" PVC (SDR 35) Drain Pipe. | 20 | LF | \$ | \$ |
| 53 | Install 4" Perforated PVC (SDR 35) Drain Pipe per Drainage Section Under Swale Detail 53 on Sheet C-5. Including (but Not Limited to) 18" Minimum Depth with 12" Deep ¾"-1" Drain Rock with Non-Woven 140N Mirafi Filter Fabric (or Approved Equal) in 20" SE>30 Sand Backfill. | 2,105 | LF | \$ | \$ |
| 54 | Furnish and Install 6" PVC (SDR 35) Drain Pipe. | 1,025 | LF | \$ | \$ |
| 55 | Furnish and Install 6" PVC (SDR 35) Drain Pipe per Drainage Section Under Swale Detail 53 on Sheet C-5. Including (but Not Limited to) 1' Minimum Separation from 4" Perforated PVC, Clayey Soil Backfill and 4" Thick Bedding. | 82 | LF | \$ | \$ |
| 56 | Furnish and Install 8" PVC (SDR 35) Drain Pipe. | 260 | LF | \$ | \$ |
| 57 | Furnish and Install 8" PVC (SDR 35) Drain Pipe per Drainage Section Under Swale Detail 53 on Sheet C-5. Including (but Not Limited to) 1' Minimum Separation from 4" Perforated PVC, Clayey Soil Backfill and 4" Thick Bedding. | 265 | LF | \$ | \$ |
| 58 | Furnish and Install 10" PVC (SDR 35) Drain Pipe. | 530 | LF | \$ | \$ |
| 59 | Furnish and Install 10" PVC (SDR 35) Drain Pipe per Drainage Section Under Swale Detail 53 on Sheet C-5. Including (but Not Limited to) 1' Minimum Separation from 4" Perforated PVC, Clayey Soil Backfill and 4" Thick Bedding. | 530 | LF | \$ | \$ |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------------|--|----------|------|-----------|-------|
| 60 | Furnish and Install 12" HDPE ADS-N12 (or Approved Equal) Drain Pipe. | 280 | LF | \$ | \$ |
| 61 | Furnish and Install 12" HDPE ADS-N12 (or Approved Equal) Drain Pipe per Drainage Section Under Swale Detail 53 on Sheet C-5. Including (but Not Limited to) 1' Minimum Separation from 4" Perforated PVC, Clayey Soil Backfill and 4" Thick Bedding. | 545 | LF | \$ | \$ |
| 62 | Furnish and Install 15" HDPE ADS-N12 (or Approved Equal) Drain Pipe. | 965 | LF | \$ | \$ |
| 63 | Furnish and Install 15" HDPE ADS-N12 (or Approved Equal) Drain Pipe per Drainage Section Under Swale Detail 53 on Sheet C-5. Including (but Not Limited to) 1' Minimum Separation from 4" Perforated PVC, Clayey Soil Backfill and 4" Thick Bedding. | 95 | LF | \$ | \$ |
| 64 | Furnish and Install 18" HDPE ADS-N12 (or Approved Equal). | 1,830 | LF | \$ | \$ |
| 65 | Furnish and Install 24" HDPE ADS-N12 (or Approved Equal). | 650 | LF | \$ | \$ |
| 66 | Construct Brow Ditch Per Section P-P on Sheet C-9 of Plans. Mow Curb per Separate Bid Item. | 1,430 | LF | \$ | \$ |
| 67 | Construct Brow Ditch per Brow Ditch Detail on Sheet C-29. | 155 | LF | | |
| 68 | Connect to Existing Catch Basin | 3 | EA | \$ | \$ |
| 69 | Connect to Existing Storm Drain | 5 | EA | \$ | \$ |
| 70 | Furnish and Install Junction Structure Type 1 per OCPW Std. Plan 1310. | 2 | EA | \$ | \$ |
| 71 | Remove Existing Concrete Plug and Connect to Existing Storm Drain Pipe With Concrete Pipe Collar per OCPW Std. Plan 1317. | 5 | EA | \$ | \$ |
| STRIPING WORK SECTION | | | | | |
| 72 | Install Final Signing & Striping on Avenida Vista Hermosa. | 1 | LS | \$ | \$ |
| 73 | Install Final Signing & Striping in Park | 1 | LS | \$ | \$ |
| ARCHITECTURE SECTION | | | | | |
| 74 | Construct 1,271 ft +/- Restroom Buildings Complete and In Place per Sheets 118-132 and Specifications | 1 | LS | \$ | \$ |
| 75 | Construct 1,271 ft +/- Restroom Buildings Complete and In Place per Sheets 118-132 and Specifications | 1 | LS | \$ | \$ |
| LANDSCAPING WORK SECTION | | | | | |
| 76 | Install Concrete Median Paving per PF&RD Std. Detail 1807 | 3,600 | SF | \$ | \$ |
| 77 | Furnish and Install Median Trees: 15 Gallon | 10 | EA | \$ | \$ |
| 78 | Furnish and Install Median Trees: 24" Box | 16 | EA | \$ | \$ |
| 79 | Furnish and Install Median Shrubs: 1 Gallon | 1,700 | EA | \$ | \$ |
| 80 | Furnish and Install Median Irrigation per City's Direction | 1 | LS | \$ | \$ |
| HARDSCAPE | | | | | |
| 81 | Construct 12" Color Concrete Band with Light Wash Finish per Detail 5 on Sheet CD-1. | 4,025 | SF | \$ | \$ |
| 82 | Construct Standard Face Concrete Steps (Natural Color Concrete) per Detail 7 on Sheet CD-1 with Handrail per Detail 10 on Sheet CD-1. | 605 | LF | \$ | \$ |
| 83 | Construct Depressed Mow Curb per Detail 19 on Sheet C-10 | 6 | EA | \$ | \$ |
| 84 | Construct 6" Natural Grey Concrete Mow Curb per Detail 6 on Sheet CD-1. | 14,510 | LF | \$ | \$ |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------------|---|----------|------|-----------|-------|
| WALL & FENCE | | | | | |
| 85 | Lodgepole Fence per Detail 2 on Sheet CD-8. | 450 | LF | \$ | \$ |
| 86 | Construct 18" High Seatwall with Fence Post at Dugout per Detail 10 on Sheet CD-2. | 110 | LF | \$ | \$ |
| 87 | Construct 6' High Splitface Pilaster with Splitface Cap to Match | 7 | EA | \$ | \$ |
| 88 | Furnish and Install 42" High Tubular Aluminum Guardrail Fence | 225 | LF | \$ | \$ |
| 89 | Furnish and Install 8' High Tubular Aluminum Fence - Non Climbable per Detail 4 on Sheet CD-2. | 320 | LF | \$ | \$ |
| 90 | Construct Masonry Retaining Wall per Wall Schedule on Sheet S-3 and Details and Wall Data Table on Sheet C-27, Including (but not Limited to) Waterproofing. | 1,612 | SF | \$ | \$ |
| 91 | Furnish and Install Pedestrian Protective Railing Per Detail 99 on Sheet C-5 and Wall Data Table on Sheet C-27. | 249 | LF | \$ | \$ |
| 92 | Construct Masonry Retaining Wall per Wall Schedule on Sheet S-3 and Details and Wall Data Table on Sheet C-28, Including (but not Limited to) Waterproofing. | 1,829 | SF | \$ | \$ |
| 93 | Furnish and Install Pedestrian Protective Railing Per Detail 99 on Sheet C-5 and Wall Data Table on Sheet C-28. | 189 | LF | \$ | \$ |
| 94 | Construct Masonry Retaining Wall per Wall Schedule on Sheet S-3 and Details and Wall Data Table on Sheet C-29, Including (but not Limited to) Waterproofing. | 940 | SF | \$ | \$ |
| 95 | Furnish and Install Pedestrian Protective Railing Per Detail 99 on Sheet C-5 and Wall Data Table on Sheet C-29. | 75 | LF | \$ | \$ |
| 96 | Construct Free-Standing Wall per Detail 5 on Sheet S-3 and Wall Data Table on Sheet 29. | 301 | SF | \$ | \$ |
| 97 | Furnish and Install Pipe Handrail for Ramp per Detail 98 on Sheet C-5 and Wall Data Table on Sheet C-29. | 64 | LF | \$ | \$ |
| 98 | Furnish and Install 4" Perforated PVC (SCH 40) Retaining Wall Subdrain Pipe per Detail 1 on Sheet S-1. | 785 | LF | \$ | \$ |
| BASEBALL DIAMOND – LARGE | | | | | |
| 99 | Furnish and Install Backstop per Detail 2 on Sheet CD-4 at Large Baseball Diamond | 1 | EA | \$ | \$ |
| 100 (s) | Furnish and Install Netting for Backstop per Detail 2 on Sheet CD-4 | 1 | EA | \$ | \$ |
| 101 | Furnish and Install Sideline Chainlink Fencing: 30' High to 8' High per Detail 11 on Sheet CD-4, including Batting Cages and Warm-Up Area Fencing per Sheet CD-7 at Large Baseball Diamond. | 1 | LS | \$ | \$ |
| 102 | Construct 12" Concrete Mow Curb under Fencing per Detail 12 on Sheet CD-1 and Detail 4 on Sheet S-2 at Large Baseball Diamond | 1,600 | LF | \$ | \$ |
| 103 | Furnish and Install Dugout Benches per Detail 5 on Sheet CD-3 at Large Baseball Diamond | 4 | EA | \$ | \$ |
| 104 | Furnish and Install Bat rack per Detail 4 on Sheet CD-3 at Large Baseball Diamond | 2 | EA | \$ | \$ |
| 105 | Furnish and Install Pitching Plate and Bases per Detail 12 on Sheet CD-3 at Large Baseball Diamond | 1 | LS | \$ | \$ |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------------|--|----------|------|-----------|-------|
| 106 | Furnish and Install Netting for Dugouts per Detail 10 on Sheet CD-3. | 1 | LS | \$ | \$ |
| 107 | Furnish and Install Foul Ball Pole per Detail 3 on Sheet CD-4 at Large Baseball Diamond | 1 | Pair | \$ | \$ |
| 108 | Install Brick Dust Infield per Master Finish Schedule Sheet FS-1. | 14,775 | SF | \$ | \$ |
| BASEBALL DIAMOND - SMALL | | | | | |
| 109 | Furnish and Install Backstop per Detail 2 on Sheet CD-4 at Small Baseball Diamond | 2 | EA | \$ | \$ |
| 110 (s) | Furnish and Install Netting for Backstop per Detail 2 on Sheet CD-4. | 2 | EA | \$ | \$ |
| 111 | Furnish and Install Sideline Chainlink Fencing: 24' High to 8' High per Detail 11 on Sheet CD-4, including Batting Cages and Warm-Up Area Fencing per Sheet CD-7 at Small Baseball Diamonds. | 1 | LS | \$ | \$ |
| 112 | Construct 12" Concrete Mow Curb under Fencing per Detail 12 on Sheet CD-1 at Small Baseball Diamond | 2,360 | LF | \$ | \$ |
| 113 | Furnish and Install Dugout Benches per Detail 5 on Sheet CD-3 at Small Baseball Diamond | 8 | EA | \$ | \$ |
| 114 | Furnish and Install Bat rack per Detail 4 on Sheet CD-3 at Small Baseball Diamond | 4 | EA | \$ | \$ |
| 115 | Furnish and Install Pitching Plate and Bases per Detail 12 on Sheet CD-3 at Small Baseball Diamond | 1 | LS | \$ | \$ |
| 116 | Furnish and Install Netting for Dugouts per Detail 10 on Sheet CD-3. | 1 | LS | \$ | \$ |
| 117 | Furnish and Install Foul Ball Pole per Detail 3 on Sheet CD-4 at Small Baseball Diamond | 2 | Pair | \$ | \$ |
| 118 | Install Brick Dust Infield per Master Finish Schedule Sheet FS-1. | 29,875 | SF | \$ | \$ |
| 119 | Furnish and Install 3 Row Aluminum Bleachers per Detail 3 on Sheet CD-3 at Small Baseball Diamond | 5 | EA | \$ | \$ |
| AMENITIES | | | | | |
| 120 | Furnish and Install 5 Row Aluminum Bleachers w/ Guardrail (located at Large Baseball, Soccer and Football) per Detail 2 on Sheet CD-3. | 24 | EA | \$ | \$ |
| 121 | Furnish and Install Trash Enclosure Complete in Place Including Slab per Sheet S-4. | 3 | EA | \$ | \$ |
| 122 | Furnish and Install Soccer Goal - Portable per Detail 9 on Sheet CD-3. | 6 | EA | \$ | \$ |
| 123 | Furnish and Install Football Goal Post - per Detail 12 on Sheet CD-4. | 2 | EA | \$ | \$ |
| 124 | Furnish and Install Canvas Double Cantilever Shade Structure at Soccer Area - To Include Design, Engineering, Permits and Installation per Detail 4 on Sheet CD-5. | 1 | LS | \$ | \$ |
| 125 | Furnish and Install USA Shade Canvas Wrap-around Shade Structure at Baseball Field - To Include Design, Engineering, Permits and Installation per Detail 5 on Sheet CD-4, or Approved Equal. | 1 | LS | \$ | \$ |
| 126 | Furnish Daktronics Scoreboard Model# MS-918 (Includes painting on back of scoreboard) per Detail 9 on Sheet CD-4, or Approved Equal. | 6 | EA | \$ | \$ |
| 127 | Install Daktronics Scoreboards per Specifications. | 1 | LS | \$ | \$ |
| 128 | Furnish and Install Concrete Picnic Table Complete in Place including Slab per Detail 4 on Sheet CD-4. | 6 | EA | \$ | \$ |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|---------------------------------|--|----------|-------|-----------|----------|
| 129 | Furnish and Install Concrete Bench per Detail 3 on Sheet CD-6. | 6 | EA | \$ | \$ |
| 130 | Furnish and Install Barbecue per Detail 5 on Sheet CD-6. | 6 | EA | \$ | \$ |
| 131 | Furnish and Install Trash Container per Detail 12 on Sheet CD-6. | 9 | EA | \$ | \$ |
| 132 | Furnish and Install Recycle Container per Detail 15 on Sheet CD-6. | 7 | EA | \$ | \$ |
| 133 | Furnish and Install Hot Coals Container per Detail 12 on Sheet CD-6. | 6 | EA | \$ | \$ |
| 134 | Furnish and Install Drinking Fountain per Detail 6 on Sheet CD-4. | 2 | EA | \$ | \$ |
| 135 | Furnish and Install Looped Bike Rack per Detail 1 on Sheet CD-3. | 3 | EA | \$ | \$ |
| 136 | Furnish and Install Tree Grate - Brushed Steel Finish per Detail 12 on Sheet CD-2. | 7 | EA | \$ | \$ |
| 137 (s) | Furnish and Install Safety Netting per Detail 2 on Sheet CD-10 ((1) Large Baseball Field, (2) Small Baseball Fields, (2) Soccer Fields and (1) Football Field). | 16,300 | SF | \$ | \$ |
| MONUMENTATION | | | | | |
| 138 (s) | Construct Entry Monumentation - Primary; 8' High curved wall; Stucco veneer and brick cap with 8' high terminal pilasters per Detail 12 on Sheet CD-9. | 2 | EA | \$ | \$ |
| 139 (s) | Construct Entry Monument (Interior)- Secondary; 8' High wall; Stucco veneer and brick cap with 8' high terminal pilasters per Detail 9 on Sheet CD-8. | 1 | EA | \$ | \$ |
| 140 (s) | Construct Corner Monument - 8' High wall; Stucco veneer and brick cap with 8' high terminal pilasters per Detail 9 on Sheet CD-8. Plus all other items to complete per plans & specs | 2 | EA | \$ | \$ |
| 141 (s) | Construct Way Finding Column Design Build per Detail 6 on Sheet CD-12. | 1 | Allow | \$15,000 | \$15,000 |
| LANDSCAPE AND IRRIGATION | | | | | |
| 142 | Weed Abatement | 1 | LS | \$ | \$ |
| 143 | Meadow Mix (Open Area wly. of Soccer Fields) | 1 | LS | \$ | \$ |
| 144 | Meadow Mix | 1 | LS | \$ | \$ |
| 145 | Sod (Entire Park Except for Ball fields) | 119,756 | SF | \$ | \$ |
| 146 | Sod (Football Field) | 78,850 | SF | \$ | \$ |
| 147 | Sod (Baseball Field Small) | 46,300 | SF | \$ | \$ |
| 148 | Sod (Baseball Field Large) | 70,500 | SF | \$ | \$ |
| 149 | Sod (Soccer Fields) | 164,550 | SF | \$ | \$ |
| 150 | Hydroseed @ Detention Basin | 1 | LS | \$ | \$ |
| 151 | 2" Deep Organic Bark Mulch | 273,560 | SF | \$ | \$ |
| 152 | Automatic Irrigation - Includes meter, controllers, mainline, lateral lines & sleeving. Plus all other items to complete per plans & specs | 1 | LS | \$ | \$ |
| 153 | Install Weather Station (Weather station to be provided by the City) | 1 | LS | \$ | \$ |
| 154 | 20' Long linear root barrier | 80 | EA | \$ | \$ |
| 155 | 90 Day Maintenance Period | 1 | LS | \$ | \$ |
| 156 | Furnish and Install 48" Box Tree | 16 | EA | \$ | \$ |
| 157 | Furnish and Install 36" Box Tree | 211 | EA | \$ | \$ |
| 158 | Furnish and Install 24" Box Tree | 568 | EA | \$ | \$ |
| 159 | Furnish and Install 15 Gallon Tree | 28 | EA | \$ | \$ |
| 160 | 20' BTH Phoenix dactylifera | 149 | EA | \$ | \$ |
| 161 | 18' BTH Washingtonia filifera | 78 | EA | \$ | \$ |
| 162 | Furnish and Install 15 Gallon Shrub | 562 | EA | \$ | \$ |
| 163 | Furnish and Install 5 Gallon Shrub | 38,716 | EA | \$ | \$ |
| 164 | Furnish and Install 1 Gallon Shrub | 3,530 | EA | \$ | \$ |

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE A (Addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| Item No. | Description | Quantity | Unit | Unit Cost | Total |
|--------------------------------|---|----------|------|-----------|-------|
| ELECTRICAL WORK SECTION | | | | | |
| 165 | Furnish and Install Signal at Intersection of Avenida Vista Hermosa & Park Main Entry per Sheet AVH-11. | 1 | LS | \$ | \$ |
| 166 | Relocate Dual Mast-Arm Street Light & Pull box in Median per San Clemente Std. ST-19 | 4 | EA | \$ | \$ |
| 167 | Relocate Pull box in Median per San Clemente Std. ST-19 | 1 | EA | \$ | \$ |
| 168 | Install 2-2" conduits from Restroom Building to Weather Station ((1) pull-box included) per Sheet C-9. | 1 | LS | \$ | \$ |
| 169 | Underground Electrical | 1 | LS | \$ | \$ |
| 170 | Exterior Lighting - Non-Sports Lighting | 1 | LS | \$ | \$ |
| 171 | Exterior Lighting - Sports Lighting Installation (See Addendum No. 2) | 1 | LS | \$ | \$ |
| 172 | Switchgear and Controls (excluding the MUSCO switch-gear and controls provided under Bid Item 169) | 1 | LS | \$ | \$ |

SCHEDULE 'A' TOTAL \$ _____ -

TOTAL SCHEDULE 'A' IN WORDS: _____

LA PATA PARK - PHASE 1B

Project No. 18142-A

SCHEDULE B (addendum 4)

Bid items designated with an (s) are Specialty Items pursuant to Subsection 2-3.2,

| <u>Item No.</u> | <u>Description</u> | <u>Estimated Quantity</u> | | <u>Unit Cost</u> | <u>Total</u> |
|-----------------|---|---------------------------|----|------------------|--------------|
| B-1 (s) | Football Field Synthetic Turf Upgrade: Excavate, Compact and Grade Subgrade Base and Dispose of Soil. Furnish, Compact, Roll and Fine Grade 2" Thick Structural Soil Base. Furnish and Install Brock Underlayment Material. Furnish and Install Synthetic Turf as specified per Brock Synthetic Turf Detail 50 on Sheet C-5 and Sheet C-15 and Sheet C-20 of the Plans and Specifications. Modify Drainage per Sheet C-20 and Irrigation | 1 | LS | \$ | \$ |
| B-2 (s) | East Soccer Field Synthetic Turf Upgrade (One Field Only): Excavate, Compact and Grade Subgrade Base and Dispose of Soil. Furnish, Compact, Roll and Fine Grade 2" Thick Structural Soil Base. Furnish and Install Brock Underlayment Material. Furnish and Install Synthetic Turf as specified per Brock Synthetic Turf Detail 50 on Sheet C-5 and Sheet C-13 of the Plans and Specifications. Modify Drainage per Sheet C-19 and Irrigation per Sheet IR-1. | 1 | LS | \$ | \$ |
| B-3 (s) | West Soccer Field Synthetic Upgrade (One Field Only): Second Field as Specified in Line B-2. | 1 | LS | \$ | \$ |
| B-4 (s) | Courtney's Sand Castle in Place per Plans and Specifications. | 1 | LS | \$ | \$ |

SCHEDULE 'B' TOTAL \$ _____ -

TOTAL SCHEDULE 'B' IN WORDS: _____

SCHEDULE 'A' AND 'B' TOTAL \$ _____ -

TOTAL SCHEDULE 'A' AND 'B' IN WORDS: _____

For Synthetic Turf Upgrades in Schedule 'B', the Bid Price should reflect the increase in price to upgrade from Sod to Synthetic Turf as specified in the plans and specifications. Contractor will receive 100% payment of items in the base bid (i.e. grading, drainage, irrigation, and sod).